


W E E K L Y O P E R A T I O N S R E P O R T

I. DOCUMENT ID#: CPI-OPS-7601-200511-AM1
II. TITLE: TAYLOR COGEN GONZALES WEEKLY OPERATIONS REPORT
III. START DATE: 05/11/20
IV. END DATE: 05/17/20

V. KEY METRICS:
 Cogen Production: 223,122 kWh
 % of Gross Load Served: 67.4%
 Net Grid After All Generation: 108,050 kWh
 Net Exports: 13,262 kWh
 Cogen Run-hours: 131.50 run-hours



- VI. UNPLANNED OUTAGES:**
1. Genset shutdown due to cylinder detonation on Wednesday at 5:31 A.M. Downtime: 4 hours, 5 minutes.
 2. Genset shutdown due to VFD fault on Thursday at 10:20 A.M. Downtime: 29 minutes.
 3. Genset shutdown due to VFD fault on Sunday at 9:50 A.M. Genset left offline for remainder of weekend due to low facility load. Downtime: 23 hours, 2 minutes.

- VII. OPERATING NOTES:**
1. Genset was shutdown on Friday at 6:00 P.M. in preparation for periodic maintenance on Saturday. Downtime: 17 hours, 45 minutes.
 2. Genset programmed to run at 1,750 kW with load following.

- VIII. UPCOMING:**
1. None.